




SWING
SLIDE
CLIMB

Heavy Duty Ninja Gym



X2



2HR

5 Bags



Concrete



0-3



50
KG

MAX



Let us help you

Scan QR code for more information
or view on our website:
swingslideclimb.com.au

WARNING: only for domestic outdoor use. This playset satisfies all the requirements of the Australian Standard AS/NZ ISO 8124 and has been certified by an independent laboratory. To guarantee safety please give special attention to the assembly, safety and care instructions detailed in this document.

WARNINGS!

1. For Children 3+ years.
2. Not for children under 3 years due to small component which may cause choking hazard.
3. Only for domestic use! This product has not been designed for commercial use in play centres, nurseries etc.
4. Only suitable for outdoor use.
5. Not for children with a body weight over 100kg. Only one child per seat at any one time.
6. The total weight on the product at any one time must not exceed 300kg.
7. DO NOT climb on top of the monkey bar.
8. DO NOT use the monkey bar and swing/trapeze at the same time.
9. DO NOT use the monkey bar when kids are using the swing and trapeze.
10. Always remove the swing and trapeze before using the monkey bar.

Instructions for assembly, maintenance and safe use.

Please retain this information for future reference.

1. This equipment must be assembled and checked by an adult. Two adults may be required to assemble this product.
2. Adult supervision is always required.
3. Check all nuts and bolts for tightness and tighten every time before use.
4. Oil all metallic moving parts.
5. Check all coverings for bolts and sharp edges every time before use, and replace when required.
6. Check swing seats, ropes and other means of attachments for evidence of deterioration. Do not use the swing if deterioration is found.
7. Place the product on level surface at least 2 meters from any structure or obstruction such as a fence, garage, house, wall, overhanging branches, laundry line or electrical wires.
8. **The anchors MUST be concreted into the ground. Anchors shall be placed level with or under the ground in order to reduce tipping hazards.**
9. DO NOT install the product over concrete, asphalt or any hard surface.
10. DO NOT orientate the product directly towards the sun.
11. DO NOT allow children to wander into the play area whilst the equipment is in use.
12. Regularly check the item for wear and damage, removing the item from use when necessary until replacement parts are fitted.
13. Failure to assemble and maintain this item as per instruction may cause injury to the user.
14. The minimum clearance between the swing seat and ground level should be 350mm.
15. Swings must not exceed an angle of 60 degrees from the ground.
16. The maximum fall height for the Product is 228cm.
17. This equipment should ONLY be used when it has been properly assembled and used in the manner as intended.
18. Any changes to this equipment including change or adding an accessory, must be one in accordance with our instruction. Failure to do this will void your warranty and make your product unsafe.
19. Remove all packing before giving to

Instructions contd...

- children.
- 20. Never place toys near fire.
- 21. In high winds, ensure outdoor toys are moved to a sheltered position and/or securely stake down.
- 22. In freezing weather, detachable plastic part should be stored inside.
- 23. Equipment should be checked by an adult at the beginning of each season and at regular intervals during the usage season to ensure it is safe.
- 24. When you dispose of this equipment, please do so responsibly.
- 25. Please keep the instructions in a safe place for future reference.
- 26. Made in China
- 24. Equipment should be checked by an adult at the beginning of each season & at regular intervals during the usage season to ensure it is safe.
- 25. When you dispose of this equipment, please do so responsibly.
- 26. Please keep the instructions in a safe place for future reference.
- 27. Made in China

Information sheet for playground surfacing materials

The surface under and around the playground equipment can be a major factor in determining the injury-causing potential of a fall. It is self evident that a fall onto a shock absorbing surface is less likely to cause a serious injury than a fall onto a hard surface. Playground equipment should never be placed on hard surfaces such as concrete or asphalt and while grass may appear to be acceptable it may quickly turn to hard-packed earth in areas of high traffic. Shredded bark mulch, wood chips, fine sand or fine gravel are considered to be acceptable shock absorbing surfaces when installed and maintained at a sufficient depth under and around playground equipment.

Table below lists the maximum height from which a child would not be expected to sustain a life-threatening head injury in a fall on to four different loose-fill surfacing materials if they are installed and maintained at depths of 150mm, 225mm & 300mm.













Type of material	Depth of surfacing material		
	150mm	225mm	300mm
Double shredded bark mulch	1800	3000	3300
Wood chips	1800	2100	3600
Fine sand	1500	1500	2700
Fine gravel	1800	2100	3000






However, it should be recognised that all injuries due to falls cannot be prevented, no matter what surfacing material is used.

It is recommended that a shock absorbing material extend a minimum of 1800mm in all directions from the perimeter of stationary equipment such as climbing frames and slides. However because children may deliberately jump from a moving swing the shock absorbing material should extend in the front and rear of a swing a minimum distance of twice the height of the pivot point measured from a point directly beneath the pivot on the supporting structure.


This information is intended to assist in comparing the relative shock absorbing properties of various materials. No particular material is recommended over another. However each material is only effective when properly maintained. Materials should be checked periodically and replenished to maintain correct depth as determined necessary for the equipment in question. The choice of material depends on the type and height of the playground equipment, the availability of material in a particular area and it's cost.

Contents


 1 x1	 1a x1	 2 x1	 2a x1	 3 x2
 4 x2	 5 x2	 6 x2	 7 x4	 8 x2
 9 x6	 10 x2	 11 x1	 C13 x1	 D11 x6
 J2 x6	 J3 x6	 J4 x2	 J5 x1	

 H55 52 Pieces	 Q53 6 Pieces	 Q75 4 Pieces	 Q85 10 Pieces	 N1 12 Pieces
 N7 72 Pieces	 T1 20 Pieces	 S1 20 Pieces	 S2 12 Pieces	 S6 60 Pieces
 S7 12 Pieces	 Allen Key M6 x 2	 Spanner 11-13		


1



2



3



C13 x4


S6 x10

S1 x2

N1 x2

N7 x12

4



7 x4


8 x2

S6 x8

H55 x8

N7 x8

5




H55 x8

S6 x8

N7 x8

6




9 x6

S7 x12

H55 x12

N7 x12

7



D11 x6

J2 x6

J3 x6

Q53 x6

S2 x12

T1 x6

N1 x6

J3

D11

J2


Q53

T1

S2

N1

8



10 x2

Q85 x10

S1 x10

S6 x10

T1 x10

N7 x10

N7

S6


10

S1

T1

Q85

9



11 x1



Q75 x4


T1 x4

S1 x8

N1 x4

10






Open the carabiner, insert the chain
and then close the carabiner.

J4 x2


J5 x1

Dimensions



Safe Play Area

The safe play area refers to the zone extending 200cm around the equipment on all sides and 250cm above the equipment. The safe play area must be free from all obstacles.



WARRANTY CONDITIONS: Any claim under this warranty must be made within 2 years of the date of purchase of the product. To make a claim under this warranty, take the product (with proof of purchase) to any Bunnings store (for AUS customers see www.bunnings.com.au and for NZ customers see www.bunnings.co.nz for store locations). Sandelford bears reasonable, direct expenses of claiming under the warranty. You may submit details and proof of purchase to our support centre for consideration. The warranty covers manufacturer defects in materials, workmanship and finish under normal use. This warranty is provided in addition to other rights and remedies you may have under law: Our goods come with guarantees that cannot be excluded under the Australian consumer law or Consumer Guarantees Act 1993 (NZ). You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure. This warranty excludes damage resulting from product misuse or product neglect, any modifications, additions or alterations to the product. Additions or modifications can compromise the structure and safety of the product. The warranty covers domestic use only and does not apply to commercial applications. This warranty is given by Sandelford, ABN 89 605 897 256, 45-49 Whitfield Boulevard, Cranbourne West Vic 3977, 1300 457 272, Email: support@pinnacle.net.au. 'Sandelford' is a trademark © of Sandelford Holdings. Suitable for model number SPSET0002.

THIS PRODUCT IS ONLY FOR PRIVATE USE AT HOME AND MUST
NEVER BE USED IN PARKS AND PUBLIC GARDENS, IN SCHOOLS,
CAMP SITES, HOTELS, PUBLIC LEISURE AREAS, ETC.
EXCLUSIVELY FOR DOMESTIC OUTDOOR USE ONLY
KEEP INSTRUCTIONS FOR FUTURE REFERENCE

DISTRIBUTED BY
SANDLEFORD HOLDINGS PTY LTD
45-49 WHITFIELD BOULEVARD
CRANBOURNE WEST 3977
VICTORIA AUSTRALIA
WWW.SWINGSLIDECLIMB.COM.AU

SPSET0002
MADE IN CHINA